

Investigación del riesgo cardiovascular

Nº Muestra	10005147	Tipo de muestra	Sangre	Solicitud
Nº Referencia	N02287698	Solicitante	Lab. Echevarne	Entrega <input type="checkbox"/>

5. BIBLIOGRAFÍA

- Marrugat J, et al. Relative validity of the 10-year cardiovascular risk estimate in a population cohort of the REGICOR study. *Rev Esp Cardiol.* 2011;64:385-94.
- Lluís-Ganella C, et al. Efecto aditivo de diferentes variantes genéticas en el riesgo de cardiopatía isquémica. *Rev Esp Cardiol.* 2010;63:925-33.
- Lluís-Ganella C, et al. Assessment of the value of a genetic risk score in improving the estimation of coronary risk. *Atherosclerosis.* 2012 Jun;222:456-63.
- Iribarren C, et al. Clinical Utility of Multi-marker Genetic Risk Scores for Prediction of Incident Coronary Heart Disease. A Cohort Study among over 51 Thousand Individuals of European Ancestry. *Circ Cardiovasc Genet.* 2016;9:531-540.
- Perk J, et al. European Guidelines on cardiovascular disease prevention in clinical practice (version 2012). *Eur Heart J.* 2012;33:1635-701.
- Cooney MT, et al. Cardiovascular risk age: concepts and practicalities. *Heart.* 2012;98:941-6.
- Cholesterol Treatment Trialists' (CTT) Collaboration, et al. Efficacy and safety of LDL-lowering therapy among men and women: meta-analysis of individual data from 174,000 participants in 27 randomised trials. *Lancet.* 2015;385:1397-405.
- Teslovich TM, et al. Biological, clinical and population relevance of 95 loci for blood lipids. *Nature.* 2010;466:707-13.
- Badimón JJ, et al. Incremento de las HDL como arma terapéutica en la aterotrombosis. *Rev Esp Cardiol.* 2010;63(03):323-33.
- <http://www.fundaciondelcorazon.com/>
- Butler MG. Genetics of hypertension. Current status. *J Med Liban.* 2010;58:175-8.
- Ehret GB, et al. Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. *Nature* 2011;478:103-9.
- Wain LV, et al. Genome-wide association study identifies six new loci influencing pulse pressure and mean arterial pressure. *Nat Genet* 2011;43:1005-11.
- Voight BF, et al. Twelve type 2 diabetes susceptibility loci identified through large-scale association analysis. *Nat Genet* 2010;42:579-89.
- Fox CS, et al. Genome-wide association to body mass index and waist circumference: the Framingham Heart Study 100K project. *BMC Med Genet.* 2007 Sep 19;8 Suppl 1:S18.